CANADIAN JOURNAL OF CIVIL ENGINEERING

REVUE CANADIENNE DE GÉNIE CIVIL

VOLUME 12, 1985

Author Index / Index des auteurs

Abdel-Gawad, S., and McCorquodale, J.A. Simulation of particle concentration distribution in primary clarifiers, 454.
Abdel-Gawad, S.M., and McCorquodale, J.A. Analysis of the submerged radial hydraulic jump, 593.
Allen, D.E., Rainer, J.H., and Pernica, G. Vibration criteria for assembly occupancies, 617.
Aplin, E.N., see Keenan, F.J., 700.
Arockiasamy, M., see Wishahy, M.A., 200.
Atkinson, G.M. Seismic liquefaction probability for Canadian offshore regions, 920.
Baker, K.A., and Kulak, G.L. Fatigue of riveted connections, 184.
Baker, K.A., and Kulak, G.L. Fatigue strength of a groove weld on steel backing: Reply, 936.
Bakht, B., see Jaeger, L.G., 573.
Barwig, B.B., see Stiemer, S.F., 73.
Basham, P.W., see Heidebrecht, A.C., 419.
Bassi, K.G., see Wittfoht, H., 941.
Batchelor, B. de V., and El Shahawi, M. A review of cracking of partially prestressed concrete members, 645.
Beaulieu, D., see Picard, A., 126.
Beaulieu, D., see Massicotte, B., 507.
Beaulieu, D., et Picard, A. Résultats d'essais sur des assemblages soudés excentriques en flexion, 494.
Beltaos, S., see Wong, J., 926.
Beltaos, S., see Wong, J., 930.
Beltaos, S. Comparison of field data with theories on ice cover progression in large rivers: Discussion, 936.
Berry, M.J., see Heidebrecht, A.C., 419.
Bewtra, J.K., see Machina, D.W., 567.
Bishop, C.T. Field assessment of a floating tire breakwater, 782.
Bisson, B.G., see Institution of Civil Engineers, 723.
Bonser, J.D., Unny, T.E., and Singhal, K. A marked Poisson process model of summer rainfall in southern Ontario, 886.
Booy, C., and Morgan, D.R. The effect of clustering of flood peaks on a flood risk analysis for the Red River, 150.
Booy, C., and Morgan, D.R. The effect of clustering of flood peaks on a flood risk analysis for the Red River: Reply, 721.
Boudreault, P. see Pineau, M., 805.
Bouzoun, J.R., see Reed, S.C., 344.
Bowering, E.J., see Heinke, G.W., 538.
Brown, E.T., and Hudson, J.A. Design and performance of underground excavations: Reviewed by Holger Hartmaier and Brian J. Sinclair, 727.
Buchanan, A.H., Johns, K.C., and Madsen, B. Column design methods for timber engineering, 731.
Buckle, I.G., and Lee, W.-O. Analysis of skewed multibeam bridges by the transfer matrix method, 24.
Buckle, I.G., Dickson, A.R., and Phillips, M.H. Ultimate strength of three reinforced concrete highway bridges, 63.
Chaudry, M.H., see Walters, G.Z., 722.
Chee, S.P., and Yuen, E.M. Erosion of unconsolidated gravel beds, 559.
Chislett, M., and Morris, G. Lateral load analysis of three-dimensional flat plate structures, 351.
Chow, K.C.A., see Watt, W.E., 294.
Christensen, V., see Heinke, G.W., 538.
Clark, L.A., see Cope, R.J., 722.
Clarke, R.H. Site supervision: Reviewed by Steven Revay, 423.
Collins, M.P., Vecchio, F.J., and Mehlhorn, G. An international competition to predict the response of reinforced concrete panels, 624.
Cope, R.J., and Clark, L.A. Concrete slabs: analysis and design: Reviewed by Peter Last, 722.
Côté, P., see Pineau, M., 483.
Dawe, J.L., Pond, B.S., and Grondin, G.Y. Interaction of shear and tension in welded truss connections, 94.
Delmas, D., see Marche, C., 279.

Dewey, R.J., and Palmer, M.D. St. John's Harbour water quality model: Reply, 236.
Dickson, A.R., see Buckle, I.G., 63.
Dinescu, T.A., and Radulescu, C. Slip form techniques: Reviewed by Steven Revay, 423.
Easa, S.M. Gradation, design, and cost consideration in blending aggregates for asphaltic concrete pavements, 82.
Easa, S.M. Erratum: Gradation, design, and cost consideration in blending aggregates for asphaltic concrete pavements, 729.
El-Ghazaly, H.A., and Sherbourne, A.N. Plastic behaviour of unstiffened symmetrical beam-to-column flange connections, 821.
Elkholy, I.A., see Szeliski, Z.L., 422.
Ellis, H., see McBean, E.A., 192.
Ellyin, F., see Frankel, E.G., 724.
El-Sebakhy, I.S., see Kennedy, J.B., 547.
El Shahawi, M., see Batchelor, B. de V., 645.
Fédération Internationale de la Précontrainte. Prefabricated thin-walled concrete units: Reviewed by Zenon A. Zielinski, 728.
Ferahian, R.H. Engineering applications of new probabilistic seismic ground-motion maps of Canada: Discussion, 418.
Fereig, S.M. Preliminary design of standard CPCI prestressed bridge girders by linear programming, 213.
Fortin, M., and McBean, E.A. A linear programming screening model for the Grand River Basin, 301.
Frankel, E.G. Systems reliability and risk analysis: Reviewed by Fernand Ellyin, 724.
Galay, V.J., Pentland, R.S., and Halliday, R.A. Degradation of the South Saskatchewan River below Gardiner Dam, 849.
Gaudette, M., see Marche, C., 279.
Ghobarah, A., see Tso, W.K., 12.
Gillard, R.G., see Salinas, J.J., 114.
Gordon, J.L., and Whitman, D.H. Generator inertia for isolated hydropower systems, 814.
Goulter, I.C., see Kettler, A.J., 286.
Graham, D.S. St. John's Harbour water quality model: Discussion, 235.
Grondin, G.Y., see Dawe, J.L., 94.
Hager, W.H. Trapezoidal side-channel spillways, 774.
Hall, M.J. Urban hydrology: Reviewed by J. C. W. Ritchie, 424.
Halliday, R.A., see Galay, V.J., 849.
Harman, D.J., and Henderson, P.W. Analysis of interconnected shear walls using wide column analogy, 362.
Hartmaier, H., see Brown, E.T., 727.
Heidebrecht, A.C., see Rutenberg, A., 583.
Heidebrecht, A.C., and Tso, W.K. Seismic loading provision changes in National Building Code of Canada 1985, 653.
Heidebrecht, A.C., Basham, P.W., Rainer, J.H., and Berry, M.J. Engineering applications of new probabilistic seismic ground-motion maps of Canada: Reply, 419.
Heinke, G.W., Christensen, V., Hipperson, L., and Bowering, E.J. Fire protection for northern communities, 538.
Henderson, P.W., see Harman, D.J., 362.
Herbich, J.B. Hydromechanics of submarine pipelines: design problems, 863.
Hipperson, L., see Heinke, G.W., 538.
Hirt, M.A., see Smith, I.F.C., 166.
Hodge, W.E., see Taylor, P.R., 472.
Holmes, J.D., Jackson, P.S., and Melbourne, W.H. Wind engineering 1983: Reviewed by Allen L. Mee, 725.
Houston, J.R., see Swain, A., 231.
Hudgins, R.R., see Wigglesworth, J., 717.
Hudson, J.A., see Brown, E.T., 727.
Institution of Civil Engineers. Design in offshore structures: Reviewed by R.G. Tanner, 238.
Institution of Civil Engineers. Economics of air transportation: Reviewed by B. G. Bisson, 723.
Irwin, R.W., see Serrano, S.E., 875.
Isaacson, M.d.S.Q. Recent advances in the computation of nonlinear wave effects on offshore structures, 439.
Jackson, P.S., see Holmes, J.D., 725.
Jaeger, L.G., and Bakht, B. Bridge analysis by the semicontinuum method, 573.
James, W., and Shivalingaiah, B. Storm water pollution modelling: buildup of dust and dirt on surfaces subject to runoff, 906.
Johns, K.C., see Buchanan, A.H., 731.
Karney, B., see Ruus, E., 137.
Karney, B.W., and Ruus, E. Charts for water hammer in pipelines resulting from valve closure from full opening only, 241.
Keenan, F.J., Kryla, J., and Kyokong, B. Shear strength of spruce glued–laminated timber beams, 661.
Keenan, F.J., Lepper, M.M., Quaile, A.T., and Aplin, E.N. Behaviour of truss plate and metal web joints in machine-stress-rated lumber trusses, 700.

Kennedy, D.J.L., see Kennedy, T.H.R., 427.
Kennedy, D.J.L., see Schmitke, C.D., 603.
Kennedy, D.J.L., see Ratzlaff, K.P., 685.
Kennedy, D.J.L., see Kriviak, G.J., 745.
Kennedy, D.J.L., and Kriviak, G.J. The strength of fillet welds under longitudinal and transverse shear: a paradox, 226.
Kennedy, J.B., and El-Sebakhy, I.S. Ultimate loads of orthotropic bridges continuous over isolated interior supports, 547.
Kennedy, T.H.R., Kennedy, D.J.L., MacGregor, J.G., and Taylor, D.A. Snow loads in the 1985 National Building Code of Canada: Curved roofs, 427.
Kettle, R.J., and McCabe, E.Y. Mechanical stabilization for the control of frost heave, 899.
Kettler, A.J., and Goulter, I.C. An analysis of pipe breakage in urban water distribution networks, 286.
Korol, R.M., and Mitri, H.S. Strength analysis of RHS double chord joints with separated chords, 370.
Krishnappan, B.G., see Wong, J., 926.
Krishnappan, B.G., see Wong, J., 930.
Krishnappan, B.G. Comparison of MOBED and HEC-6 river flow models, 464.
Kriviak, G.J., see Kennedy, D.J.L., 226.
Kriviak, G.J., and Kennedy, D.J.L. Standardized flexible end plate connections for steel beams, 745.
Kryla, J., see Keenan, F.J., 661.
Kulak, G.L., see Baker, K.A., 184.
Kulak, G.L. Fatigue investigation of a railway truss bridge: Discussion, 420.
Kulak, G.L., see Baker, K.A., 936.
Kyokong, B., see Keenan, F.J., 661.
Last, P., see Cope, R.J., 722.
Lau, M.G. Three-dimensional solid finite element models for computing compressive stiffnesses of bonded rubber blocks, 767.
Lau, Y.L. Mixing coefficient for ice-covered and free-surface flows, 521.
Lavallée, P., see Lessard, P., 527.
Leclerc, G., see Marche, C., 279.
Lee, W.-O., see Buckle, I.G., 24.
Lepper, M.M., see Keenan, F.J., 700.
Lessard, P., et Lavallée, P. Caractérisation des eaux usées de débordements de réseau unitaire, 527.
MacGregor, J.G., see Kennedy, T.H.R., 427.
Machina, D.W., and Bewtra, J.K. Design factors for the scouring of deposited materials in water and wastewater treatment systems, 567.
Madsen, B., see Buchanan, A.H., 731.
Maisel, B.I. Analysis of concrete box beams using small computer capacity, 265.
Makowski, Z.S. Analysis, design and construction of braced domes: Reviewed by Douglas Wright, 941.
Makrides-Saravanos, E., and Rezansoff, T. The effect of a chloride-based accelerating admixture on the tensile strength of concrete, 673.
Malhotra, S.K., see Van Dyer, D.B., 36.
Malhotra, S.K., and Thomas, B. Effect of interface gap on load–slip characteristics of timber joints fabricated with multiple nails, 104.
Mamet, J.C., and Moselhi, O. Outline of current analysis procedure for CANDU 600 MW reactor buildings, 796.
Marche, C., Leclerc, G., Gaudette, M., et Delmas, D. Caractérisation des propriétés dispersives d'un milieu poreux par mesures expérimentales de la migration d'un traceur salin, 279.
Marsh, C., see Narayanan, R., 239.
Marsh, C. Photoelastic study of postbuckled shear webs, 415.
Massicotte, B., Beaulieu, D., et Picard, A. Effet des systèmes entremises–diaphragme sur la stabilité des poteaux, 507.
Massiéra, M., et Pelchat, C. Le barrage OA-10B, un exemple de construction d'un barrage sur des dépôts d'origine glaciaire, 838.
Mazumdar, M., and Rao, S.K. Effect of comparative efforts on sand–asphalt–sulphur mixes, 916.
McBean, E.A., Ellis, H., and Mulamoottil, G. Impact of alternative housing standards on stormwater management, 192.
McBean, E.A., see Fortin, M., 301.
McCabe, E.Y., see Kettle, R.J., 899.
McCorquodale, J.A., see Abdel-Gawad, S., 454.
McCorquodale, J.A., see Abdel-Gawad, S.M., 593.
McMartin, K.C., see Salinas, J.J., 114.
McNeely, D.K., Sneep, J.S., and Smith, K.N. Approximate analysis and optimization of stiffened tied arch bridges, 307.
Mee, A.L., see Holmes, J.D., 725.
Mehlhorn, G., see Collins, M.P., 624.
Mehrazarin, M.A., see Sheikh, S.A., 382.
Melbourne, W.H., see Holmes, J.D., 725.

Michel, B. Comparison of field data with theories on ice cover progression in large rivers: Reply, 938.
Mitri, H.S., see Korol, R.M., 370.
Morgan, D.R., see Booy, C., 150.
Morgan, D.R., see Booy, C., 721.
Morris, G., see Chislett, M., 351.
Moselhi, O., see Mamet, J.C., 796.
Mufti, A.A. Development, availability, and use of engineering computer programs, 43.
Mufti, A.A., see Taheri, F., 934.
Mulamoottil, G., see McBean, E.A., 192.
Narayanan, R. Plated structures: Stability and strength: Reviewed by Cedric Marsh, 239.
Neill, C.R. The effect of clustering of flood peaks on a flood risk analysis for the Red River: Discussion, 720.
O'Neill, M.W., see Sheikh, S.A., 382.
Palmer, M.D., see Dewey, R.J., 236.
Pelchat, C., see Massiéra, M., 838.
Pentland, R.S., see Galay, V.J., 849.
Pernica, G., see Allen, D.E., 617.
Phillips, M.H., see Buckle, I.G., 63.
Picard, A., see Beaulieu, D., 494.
Picard, A., see Massicotte, B., 507.
Picard, A., and Beaulieu, D. Behaviour of a simple column base connection, 126.
Pineau, M., Côté, P., and Villeneuve, J.P. Estimation of wastewater treatment costs: Evaluation of the CAPDET model for Canadian conditions, 483.
Pineau, M., Villeneuve, J.P., and Boudreault, P. Wastewater treatment alternatives for municipalities along a stream system, 805.
Pond, B.S., see Dawe, J.L., 94.
Quaile, A.T., see Keenan, F.J., 700.
Radulescu, C., see Dinescu, T.A., 423.
Rainer, J.H., see Heidebrecht, A.C., 419.
Rainer, J.H., see Allen, D.E., 617.
Rao, S.K., see Mazumdar, M., 916.
Ratzlaff, K.P., and Kennedy, D.J.L. Analysis of continuous steel plates subjected to uniform transverse loads, 685.
Reed, S.C., Bouzoun, J.R., and Tobiasson, W.T. Water supply and waste disposal on permanent snowfields, 344.
Revay, S., see Dinescu, T.A., 423.
Revay, S., see Clarke, R.H., 423.
Rezansoff, T., see Makrides-Saravanos, E., 673.
Ritchie, J.C.W., see Hall, M.J., 424.
Russell, A.D. Microcomputers, management, and high-rise construction: the next step, 396.
Rutenberg, A., and Heidebrecht, A.C. Rotational ground motion and seismic codes, 583.
Ruus, E., see Karney, B.W., 241.
Ruus, E., and Karney, B. Charts for water hammer in high head pump discharge lines resulting from pump failure and check valve closure, 137.
Salinas, J.J., Gillard, R.G., and McMartin, K.C. Strength and structural safety of long-span light wood roof trusses. Reliability analysis using safety index, 114.
Schmitke, C.D., and Kennedy, D.J.L. Effective lengths of laterally continuous, laterally unsupported steel beams, 603.
Schuster, R.M., see Seleim, S.S., 316.
Seleim, S.S., and Schuster, R.M. Shear-bond resistance of composite deck-slabs, 316.
Serrano, S.E., Whiteley, H.R., and Irwin, R.W. Effects of agricultural drainage on streamflow in the Middle Thames River, Ontario, 1949–1980, 875.
Sexsmith, R.G., see Taylor, P.R., 472.
Sheikh, S.A., O'Neill, M.W., and Mehrazarin, M.A. Expansive concrete drilled shafts, 382.
Shen, H.T., and Yapa, P.D. A unified degree-day method for river ice cover thickness simulation, 54.
Sherbourne, A.N., see El-Ghazaly, H.A., 821.
Shivalingaiah, B., see James, W., 906.
Silveston, P.L., see Wigglesworth, J., 717.
Sinclair, B.J., see Brown, E.T., 727.
Singhal, K., see Bonser, J.D., 886.

Slater, W.M. Concrete water tanks in Ontario, 325.
Smith, I.F.C., and Hirt, M.A. A review of fatigue strength improvement methods, 166.
Smith, K.N., see McNeely, D.K., 307.
Sneep, J.S., see McNeely, D.K., 307.
Stiemer, S.F., and Barwig, B.B. Seismic base isolation for steel structures, 73.
Swain, A., and Houston, J.R. A numerical model for beach profile development, 231.
Szeliski, Z.L., and Elkholy, I.A. Fatigue investigation of a railway truss bridge: Reply, 422.
Taheri, F., Zamani, N.G., and Mufti, A.A. Fatigue strength of a groove weld on steel backing: Discussion, 934.
Tanner, R.G., see Institution of Civil Engineers, 238.
Taylor, D.A. Snow loads on sloping roofs: two pilot studies in the Ottawa area, 334.
Taylor, D.A., see Kennedy, T.H.R., 427.
Taylor, P.R., van Selst, A.M., Hodge, W.E., and Sexsmith, R.G. Annacis cable-stayed bridge—design for earthquake, 472.
Thomas, B., see Malhotra, S.K., 104.
Tobiasson, W.T., see Reed, S.C., 344.
Tork, A. Investigation of prestressed concrete box beams of an elevated expressway, 1.
Tso, W.K., see Heidebrecht, A.C., 653.
Tso, W.K., Ghobarah, A., and Yee, S.K. Seismic design forces for cylindrical tanks on ground, 12.
Unny, T.E., see Bonser, J.D., 886.
Van Dyer, D.B., and Malhotra, S.K. Strength of spaced timber columns, 36.
van Selst, A.M., see Taylor, P.R., 472.
Vecchio, F.J., see Collins, M.P., 624.
Villeneuve, J.P., see Pineau, M., 483.
Villeneuve, J.P., see Pineau, M., 805.
Walters, G.Z. Analysis and control of unsteady flow in pipelines: Reviewed by M. Hanif Chaudry, 722.
Watt, W.E., and Chow, K.C.A. A general expression for basin lag time, 294.
Whiteley, H.R., see Serrano, S.E., 875.
Whitman, D.H., see Gordon, J.L., 814.
Wigglesworth, J., Silveston, P.L., and Hudgins, R.R. Influence of flow contraction on solids removal in a small circular clarifier, 717.
Wishahy, M.A., and Arockiasamy, M. Response of guyed tower to irregular waves for linear and nonlinear behaviour of mooring cables, 200.
Wittfoht, H. Building bridges: History, technology, construction: Reviewed by Kris G. Bassi, 941.
Wong, J., Beltaos, S., and Krishnappan, B.G. Seepage flow through simulated grounded ice jam, 926.
Wong, J., Beltaos, S., and Krishnappan, B.G. Laboratory tests on surges created by ice jam releases, 930.
Wright, D., see Makowski, Z.S., 941.
Yapa, P.D., see Shen, H.T., 54.
Yee, S.K., see Tso, W.K., 12.
Yuen, E.M., see Chee, S.P., 559.
Zamani, N.G., see Taheri, F., 934.
Zielinski, Z.A., see Fédération Internationale de la Précontrainte, 728.